

RF1200

Decorative Flame Fire

Rinnai

Relax. It's a Rinnai.



Ambience and style to add warmth to any interior.

The RF1200 is a contemporary and stylish through wall fire. The fire has one side open and one side glassed in, and can be installed as an impressive way to divide a room or provide a window into another room. A unique feature of this through wall fire is that with the addition of a second piece of glass, the fire can be used on an external wall, joining an outdoor entertaining area to an indoor living room. Set to transform your home, the RF1200 provides an ambience that is unforgettable.

Features and Benefits

- > Sleek, sophisticated stainless steel fascia
- > Fascia options available in 3 or 4 sided
- > Modern landscape design
- > Ability to be installed on an external wall
- > Designed with ease of installation in mind
- > Zero clearance box is supplied as standard
- > Remote control with options to regulate flame height and fan speed



Stainless Steel with White Pebbles

Additional Features




White pebbles with reflective panels

- > Side mirror reflector panels are supplied as standard with the unit, producing the illusion of more depth to the dancing flames.
- > The unique see through glass window will become a main feature in your home, providing an elegant atmosphere to any setting.



Specifications

	Inbuilt Cavity Dimensions (mm)			Visual Dimensions (mm)			Colour	Gas Input - MJ/h		kW Out-put	Gas Type
	Height	Width	Depth	Height	Width	Depth		Low	High		
RF1200 (Inbuilt)	670	1320	510	647	1310	20	Stainless Steel	40	66	6	LPG & NG



Flueing Options





1. Zero Clearance Twin - Direct




2. Zero Clearance Y Piece - Direct



3. Zero Clearance Y Piece - Offset



4. Zero Clearance Y Piece - Direct Extended



Flueing Type	Flueing Order Components	Order Code
1 Zero Clearance Twin - Direct	200mm inner/250mm outer - 1200mm length	4 x F200250
2 Zero Clearance Y Piece - Direct	200mm inner/250mm outer - 1200mm length	2 x F200250
	Y Piece	1 x 1200FLUEY
	250mm inner/300mm outer - 1200mm length	1 x F250300
3 Zero Clearance Y Piece - Offset	200mm inner and 250mm outer - 45° bend	2 x B200250
	200mm inner/250mm outer - 1200mm length	2 x F200250
	Y Piece	1 x 1200FLUEY
	250mm inner/300mm outer - 1200mm length	2 x F250300
4 Zero Clearance Y Piece - Direct Extended	200mm inner/250mm outer - 1200mm length	2 x F200250
	Y Piece	1 x 1200FLUEY
	200mm inner and 250mm outer - 45° bend	1 x B200250
	250mm inner/300mm outer - 1200mm length	2 x F250300

Warranty	Heat Exchanger	Fan	Firebox	Gas Burner	Control Parts	Free Labour
Domestic Use	10 years pro rata ⁽¹⁾	2 years	16 years	3 years	2 years	1 year
Commercial Use	1 year on all parts and labour					

Please note: For full definitions of Domestic and Commercial use, along with other conditions and exclusions, please refer to www.rinnai.com.au. Rinnai Australia Pty. Ltd. Reserves the right to make modifications and change specifications without notice. We will however endeavour to communicate any major changes well before implementation. (1) Full replacement cost in the 1st year, reducing 10% per year thereafter. 240V power is required on all models. A power cord and plug is fitted. If hardwiring is required, consult a licensed electrician. #Dimensions are subject to production tolerances and may vary slightly from those given. Rinnai Australia Pty Ltd reserves the right to make modification and change specifications without notice. #Refers to the visual appearance of the appliance external to the wall for inbuilt models.

Rinnai Australia Pty Ltd

ABN 74 005 138 769

100 Atlantic Drive,
Keysborough, Victoria 3173

For further information visit

www.rinnai.com.au

or call 1300 555 545

Dealer Details:

Rinnai
Relax. It's a Rinnai.