



BUILT IN CANADA, FOR AUSTRALIAN WINTERS



TRUE NORTH

TRUE NORTH WOOD HEATERS

TN10 & TN20 FREESTANDING
TN20 INBUILT

FREESTANDING

The True North freestanding wood heaters are perfect for those looking for an exceptional cost-to-performance ratio. The iconic cast-iron door covers a 10-gauge steel, fully firebrick lined firebox, beautifully constructed to heat your small to medium sized home through the cold winter nights. The TN10 features a shallow profile perfect for tiny spaces, while the TN20 has two base options, giving you the perfect little heater for your home.

100% Made in Canada.



TN10 on Legs



TN20 on Legs



TN20 on Pedestal

TN10 FREESTANDING

AVAILABLE ON LEGS ONLY

Heat Output	100m²
Efficiency	65%
Burn Time	12 hours
Log Size (max)	255mm
Weight	89kg



View on our Website

TN20 FREESTANDING

AVAILABLE ON LEGS OR PEDESTAL

Heat Output	200m²
Efficiency	66%
Burn Time	15 hours
Log Size (max)	450mm
Weight	154kg



View on our Website

FEATURES

100% Canadian made. Built for quality and performance. Quad burn performance with four secondary air tubes reduces emissions and increases performance. Outside air for combustion ready. Perfect for new homes. Large single-lever air control is easy to use. 10-gauge steel construction and quality cast iron door.

Fully firebrick lined. No exposed steel in the firebox.

TN10 - Legs only
TN20 - Leg or Pedestal

Optional two-speed fan available.

INBUILT

Convert an existing fireplace into a source of efficient heat with the TN20 inbuilt wood heater. This powerful firebox will heat small-to-medium spaces, burn cleanly, and offers years of trouble-free warmth. The cast iron door tightly seals the firebox to avoid unnecessary air loss, while clean airwash technology ensures a full view of the fire while in use.

100% Made in Canada.



TN20 INBUILT

Heat Output	200m²
Efficiency	71%
Burn Time	8–12 hours
Log Size (max)	450mm
Weight	128kg



View on our
Website




FEATURES

100% Canadian made. Built for quality and performance. Quad burn performance with four secondary air tubes reduces emissions and increases performance. Large single-lever air control is easy to use.


10-gauge steel construction and quality cast iron door. Fully firebrick lined. No exposed steel in the firebox.

Includes two-speed fan.


TN10 FREESTANDING




CLEARANCES TO COMBUSTIBLES (MM)



TN20 FREESTANDING




CLEARANCES TO COMBUSTIBLES (MM)




* Can reduce rear clearance to 75mm with Pivot's Insulated Room Sealed Flue


TN20 INBUILT



MINIMUM FIREPLACE OPENING (MM)



CLEARANCES TO COMBUSTIBLES (MM)



HEARTH REQUIREMENTS (MM)

	Minimum Floor Protector (width x length)	Extending in front of door opening	From side of door opening	Thickness
TN10 FREESTANDING	715mm x 640mm	300mm	200mm	9mm
TN20 FREESTANDING	720mm x 1060mm	300mm	200mm	9mm
TN20 INBUILT (545w x 720d x 110 thick clay bricks)	715mm x 300mm	300mm	200mm	9mm

* all products subject to change without warning. Due to the limitations of the printing process, it is not possible to replicate colours exactly in a print format. Please check with your local Pacific Energy retailer for colour samples.

Canadian-made Wood Heaters and Inbuilts are proudly distributed throughout Australia by Pivot Stove & Heating in conjunction with Pacific Energy Fireplace Products.

For more information and current product updates, visit pivotstove.com.au

View the Digital Brochure

